

infocolombia@newstetic.com

SAFETY DATA SHEET DURACRYL® ACRYLIC NAIL SYSTEM MODELING LIQUID DPDDFS-087

1 PRODUCT IDENTIFICATION

- 1.1 Chemical name: Ethyl methacrylate
- 1.2 Generic name: Ethyl methacrylate
- 1.3 Synonyms: EMA, cosmetic monomer, ethyl 2-methylacrylate
- 1.4 Recommended use and restrictions of use: manufacture of artificial nails with aesthetic and functional purposes: lengthen, repair, reconstruct, and decorate natural nails.
- 1.5 Emergency number: In case of emergency contact the Occupational Health and Safety Coordination, (57 60 4) 4038760 ext. 1304, 1306.

2 HAZARDS IDENTIFICATION

2.1 GHS classification, where:

Z.1 Of 10 oldoomodilon, where.	1	
Health	Environment	Physical
Acute toxicity		
Oral LD ₅₀ : Category 5		
Skin LD ₅₀ : Category 5		
Inhaling LD ₅₀ : Category 5		
Corrosion: Category 2	Acute toxicity	Flammable liquid
Eye irritation: Category 2a	Information not available	Category 3
Respiratory or skin sensitization: Category 1		
Systemic toxicity in specific organs: Category 2		

2.2 GHS labeling:

Symbol	Warning word	Hazard indication
	Flammable	Very flammable liquid and vapors. Flammable liquids hazard.
(!)	Irritant	Causes skin irritation. May cause an allergic reaction on the skin, and skin sensitization. Causes severe eye irritation. May irritate airways. Specific toxicity in certain organs.

Date of	creation	Prepared by	Reviewed by	
2020-	-08-11	Cosmetics Research Analyst	Director of Research and Technological Manageme Technical Coordinator of MD	
Class	Page	Approved By:	Date of update	Version
E	1 of 7	Technical Director of MD	2023-10-04	01

REFERENCE DOCUMENT: DPDDPR-003

DATE OF UPDATE: 2020-11-17



Address: Cra. 53 N° 50-09 Guarne (Antioquia) COLOMBIA. Telephones: (57-60-4) 550 00 00 - 403 87 60

Fax: (57-60-4) 551 31 34 infocolombia@newstetic.com

SAFETY DATA SHEET DURACRYL® ACRYLIC NAIL SYSTEM MODELING LIQUID DPDDFS-087

Symbol	Warning word	Hazard indication
		Irritation of the respiratory tract.
	Health hazard	May cause severe effects on health over long term.

- 2.3 Precaution indications: Stable liquid under normal conditions of temperature and pressure. Hazardous polymerizing or explosion may occur if contaminated with peroxides, metallic salts, polymerizing initiators, polymerizing catalysts. Its vapors do not have a narcotic effect; however, it may cause irritation on the eyes, skin, and airways.
- 2.4 Appearance in case of emergency: colorless liquid, irritating and penetrating odor.
- 2.5 Potential adverse effects on health: possibility of sensitization in contact with skin. Prolonged contact may cause dermatitis. May cause irritation on airways at high concentrations in the atmosphere.
- 2.6 NFPA:



Health: 2 Flammability: 3 Reactivity: 2

2.7 OSHA Regulatory Status: Not established.

3 COMPOSITION INFORMATION

HAZARDOUS COMPONENTS						
Common name % CAS Number						
Ethyl methacrylate	≥ 95	97-63-2				
Ethylene glycol di-methacrylate	≤ 2	97-90-5				
Dimethyltolylamine	≤ 2	99-97-8				
Drometrizole	≤ 1	2440-22-4				
BHT	≤ 0.1	128-37-0				

NON-HAZARDOUS COMPONENTS				
Common name % CAS Number				
Pigment	≤ 0.1	81-48-1		

Date of	creation	Prepared by	Reviewed by	
2020-	-08-11	Cosmetics Research Analyst	Director of Research and Technological Manageme Technical Coordinator of MD	
Class	Page	Approved By:	Date of update	Version
F	2 of 7	Technical Director of MD	2023-10-04	01

REFERENCE DOCUMENT: DPDDPR-003

DATE OF UPDATE: 2020-11-17

new stetic

Address: Cra. 53 N° 50-09 Guarne (Antioquia) COLOMBIA. Telephones: (57-60-4) 550 00 00 - 403 87 60 Fax: (57-60-4) 551 31 34

infocolombia@newstetic.com

SAFETY DATA SHEET DURACRYL® ACRYLIC NAIL SYSTEM MODELING LIQUID DPDDFS-087

4 FIRST AID MEASURES

- 4.1 Emergency procedures and first aid measures in case of:
 - Inhalation: Take the patient to a ventilated place.
 - Contact with eyes: Rinse eyes immediately with abundant water, maintaining eyelids open. See an ophthalmologist.
 - Contact with skin: Rinse skin immediately with abundant water. Remove contaminated clothes. See a physician if symptoms appear (irritation or blisters).
 - Ingestion: Drink abundant water. See a physician.
- 4.2 Major symptoms/effects (acute and/or delayed): May cause allergy symptoms or airways irritation if inhaled. May cause organ damage (lungs, kidneys, and liver) after prolonged or repeated exposure.
- 4.3 Antidote: not applicable.
- 4.4 Information for physicians: not applicable.

5 FIRE-FIGHTING MEASURES

- 5.1 Flammability properties: Highly flammable. Produces vapors heavier than air, forming explosive mixtures at room temperature. In case of fire it can produce dangerous toxic gases. Closed containers may rupture explosively if heated.
- 5.2 Extinction media: CO₂, foam and/or powder.
- 5.3 Inappropriate extinction media: Water. Water may not be effective to extinguish the fire. Liquid spills may result from spraying with water.
- 5.4 Firefighting instructions: Special protective equipment should be used. In case of staying in the risk area, self-contained breathing apparatus and appropriate protective clothing should be used.
- 5.5 Firefighters protection: Properties and possible hazards of the material:
 - The containers may break and release toxic vapors.
 - Hazardous polymerization may occur due to high temperatures.
 - · Closed containers may break violently in case of fire.
- 5.6 Protective equipment and protection for firefighters: Self-contained breathing apparatus and encapsulated suit should be used. Evacuate the affected area and attack the fire from a safe distance.

6 MEASURES IN CASE OF ACCIDENTAL RELEASE

- 6.1 Techniques, procedures, materials, and protective equipment in case of:
 - Small spills: Absorb spills with sand, soil, or other appropriate absorbent material. Do not use sawdust or other combustible materials. Transfer to a container for its disposal. Ensure appropriate ventilation.

Date of	creation	Prepared by	Reviewed by	
2020-08-11 Cosmetics Research Analyst Director of Research and Technological Ma Technical Coordinator of MD		•		
Class	Page	Approved By:	Date of update	Version
E	3 of 7	Technical Director of MD	2023-10-04	01

REFERENCE DOCUMENT: DPDDPR-003

DATE OF UPDATE: 2020-11-17

new stetic

Address: Cra. 53 N° 50-09 Guarne (Antioquia) COLOMBIA. Telephones: (57-60-4) 550 00 00 - 403 87 60 Fax: (57-60-4) 551 31 34

infocolombia@newstetic.com

SAFETY DATA SHEET DURACRYL® ACRYLIC NAIL SYSTEM MODELING LIQUID DPDDFS-087

- Large spills: Avoid the product to get into drains. Absorb spills with sand, soil, or other appropriate absorbent material. Do not use sawdust or other combustible materials. Transfer to a container for its disposal.
 - Uncontrolled discharge in waterways must be notified to the competent authorities. Ensure appropriate ventilation.
- 6.2 Environmental precautions: Avoid filtration on land and in water. In case of large spills or if the product contaminates lakes, rivers, or seas, inform the competent authorities, according to local legislation.
- Other considerations: Use only in well ventilated places.

 Avoid accumulation of electrostatic charges. Prevent waste from entering surface or subway watercourses.

7 HANDLING AND STORAGE

- 7.1 Handling: Follow fire-fighting measures. The product must be away from ignition sources.
- 7.2 Storage: Keep the product in a cool, dry, well-ventilated place (air atmosphere). Keep away from any flame or spark source. Do not smoke. Maintain away from heat and direct sunlight. Store away from oxidizing agents, acids, bases, and polymerizing initiators. Do not store for prolonged periods of time which exceed the product's shelf life. Check the product (control translucency). Storage temperature must not exceed 30 °C (86 °F). The monomer vapors are not inhibited and may form polymers on the fans or flame quenchers, and they may cause blockage of fans.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

- 8.1 Conditions to control exposure: Wear appropriate respirator, safety goggles, and gloves.
- 8.2 Engineering conditions: Appropriate ventilation, exhaust fan, emergency showers and eyerinsing equipment in areas where the product is used.
- 8.3 Personal protective equipment:
 - Respiratory equipment: Wear appropriate protective equipment. If exposure to values exceeding the occupational exposure limit is foreseeable, wear appropriate facemask with type A filter. In case of high quantities of vapor, use a self-contained breathing apparatus.
 - Eye protection: Safety goggles and full-face shield.
 - Gloves: Wear appropriate gloves. The most appropriate gloves depend on a series of factors such as: physical strength of the glove, the degree of sensitivity required, permeability level of the material. Gloves with the most permeability are coated in PVA/Polyethylene or in PVA linings. Butyl and nitrile rubber gloves also provide certain level of protection, but they must be replaced immediately if exposure has occurred. The gloves need to be changed regularly and when excessive exposure has occurred.
- 8.4 Exposure parameters:
 - Ethyl methacrylate

Date of	creation	Prepared by	Reviewed by	
2020-	-08-11	Cosmetics Research Analyst	h Analyst Director of Research and Technological Manag Technical Coordinator of MD	
Class	Page	Approved By:	Date of update	Version
Е	4 of 7	Technical Director of MD	2023-10-04	01

REFERENCE DOCUMENT: DPDDPR-003

DATE OF UPDATE: 2020-11-17



infocolombia@newstetic.com

SAFETY DATA SHEET DURACRYL® ACRYLIC NAIL SYSTEM MODELING LIQUID DPDDFS-087

PEL (OSHA): 10 ppmTLV ACGIH: 15 ppm

9 PHYSICAL AND CHEMICAL PROPERTIES

- Appearance: Translucent liquid.
- Odor: Characteristic, strong ester.
- Odor threshold: data not available.
- Physical status: liquid
- pH: between 5 and 7.
- Freezing or melting point: data not available.
- Evaporation percentage: data not available.
- Initial point or boiling range: 118 °C (244.4 °F)
- Ignition point: Closed cup 45 °C (113 °F)
- Evaporation rate: Data not available.
- Flammability (solid or gas): Data not available.
- Upper/lower flammability or exposure limit: Data not available.
- Vapor pressure: 20 mm Hg.
- Vapor density: 3.94 at 20 °C (68 °F)
- Specific gravity or relative density: data not available
- Solubility in water: Slightly soluble.
- n-octanol/water partition coefficient: Data not available.
- Self-ignition temperature: not determined.
- Decomposition temperature: not determined.
- Viscosity: Not less than 1.5 cP.
- Density: 0.9 0.95 g/ml.

10 STABILITY AND REACTIVITY

- 10.1 Chemical stability: Stable up to self-ignition temperature.
- 10.2 Possibility of hazardous reactions: Hazardous polymerization in case of exposure to heat.
- 10.3 Conditions to avoid: Prolonged heating or the presence of catalyst are likely to start polymerization.
- 10.4 Incompatibility with other materials: Polymerization catalysts such as peroxi- or azo-, strong acids, alkali, and oxidizing agents. Additionally, flammable bases, acids, and solvents.
- 10.5 Hazardous decomposition products: Vapors denser than air, which tend to accumulate forming flammable mixtures.
- 10.6 Hazardous polymerization: Exothermal reactions (heat generation).

Date of	creation	Prepared by	Reviewed by	
2020-	-08-11	Cosmetics Research Analyst	Director of Research and Technological Management Technical Coordinator of MD	
Class	Page	Approved By:	Date of update	Version
E	5 of 7	Technical Director of MD	2023-10-04	01

REFERENCE DOCUMENT: DPDDPR-003

DATE OF UPDATE: 2020-11-17



infocolombia@newstetic.com

SAFETY DATA SHEET DURACRYL® ACRYLIC NAIL SYSTEM MODELING LIQUID DPDDFS-087

11 TOXICOLOGICAL INFORMATION

- 11.1 Possible exposure ways: Respiratory, dermal, ocular, and some organs when exposed to high concentrations at extended times.
- 11.2 Acute toxicity
 - Inhalation: Irritates respiratory ways. High concentrations in the atmosphere may cause irritation of respiratory ways, vertigo, headache, and anesthetic effects.
 - Contact with skin: Possibility of sensitization in contact with skin. Irritates the skin. Repeated and/or prolonged contact may cause dermatitis.
 - Contact with eyes: High concentration causes irritation.
 - Ingestion: Low oral toxicity, but ingestion may cause irritation of the gastrointestinal tract.
- 11.3 Chronic toxicity: Long term exposure: Repeated exposure at high concentrations causes adverse effects on the heart, lungs, liver, and kidneys. According to studies, there is not any reason to consider that methyl methacrylate represents a carcinogenic or mutagenic risk for humans. High concentrations do not cause toxic effects for the embryo or fetus, nor teratogenic effects in maternal toxicity.
- 11.4 Other information: does not apply.

12 ECOLOGICAL INFORMATION

- 12.1 Ecotoxicity:
 - Low toxicity for fish.
 - CL50 (Fish) typically > 100 mg/L.
 - CE50 (Daphnia magna) (48 hours) 69 mg/L.
 - Low toxicity for algae.
 - CE50 (Selenastrum capricornutum) (96 hours) 170 mg/L.
- 12.2 Persistence and degradability: Easily biodegradable. Chemical oxygen demand (COD) 88% (28 days). Dissolved organic carbon removal > 95% (28 days).
- 12.3 Bioaccumulation potential: High-volatility liquid. The product is limitedly soluble in water. It has a low bioaccumulation potential.
- 12.4 Mobility on soil: It is foreseeable that it has high mobility on soil.
- 12.5 Other adverse effects: Data not available.

13 CONSIDERATIONS FOR DISPOSAL

Do not dispose in water sources. Observe current applicable local regulations.

WARNING: Local laws, regulations and restrictions may change or be reinterpreted, and differ from national laws, so disposal and packaging considerations may vary from those in this document.

Date of	creation	Prepared by	Reviewed by	
2020-	-08-11	Cosmetics Research Analyst	Director of Research and Technological Manageme	
Class	Page	Approved By:	Date of update	Version
E	6 of 7	Technical Director of MD	2023-10-04	01

REFERENCE DOCUMENT: DPDDPR-003

DATE OF UPDATE: 2020-11-17



infocolombia@newstetic.com

SAFETY DATA SHEET DURACRYL® ACRYLIC NAIL SYSTEM MODELING LIQUID DPDDFS-087

14 TRANSPORT INFORMATION

- 14.1 Hazardous material: Ethyl methacrylate.
- 14.2 Class of spill: Flammable liquid.
- 14.3 UN number: 2277
- 14.4 IATA classification: 3 (flammable liquid).
- 14.5 Packing group: Class 3, Group II. Medium-hazardous materials.
- 14.6 Marine pollutant (Yes/no): Yes.

15 REGULATORY INFORMATION

- 15.1 In Colombia: Transport in accordance with the provisions set forth in decree 1609 of 2002 about the transport of chemical and hazardous substances by road.
- 15.2 International: Labelling in accordance with the guidelines of the CEE / Regulation on hazardous substances.

16 OTHER IMPORTANT INFORMATION

The information in this document is based on our current knowledge and is given in good faith, but no warranty is expressed or implied, nor is any responsibility assumed for improper handling of the product. This document has been prepared in accordance with:

- Globally Harmonized System of Classification and Labelling of Chemicals GHS
- Colombian Technical Standard NTC 4435:2010. Transport of Goods. Material Safety Datasheets. Preparation.

Date of creation Prepared by Reviewed by				
2020-08-11 Cosmetics Resea		Cosmetics Research Analyst	Director of Research and Technological Technical Coordinator of MI	•
Class	Page	Approved By:	Date of update	Version
Е	7 of 7	Technical Director of MD	2023-10-04	01

REFERENCE DOCUMENT: DPDDPR-003

DATE OF UPDATE: 2020-11-17